

Compatible with Hubbell Labeling System, see page U7.



- Designed to Flush Mount with Box Eliminator
- Adjustable Leveling Feature
- ANSI/TIA-606-B Compliant



Specifications



- Fits all Hubbell keystone connections (AV, data and fiber)
- Available in single and double gang
- All IFP plates are supplied with paper labels, clear screw covers, and color matched screw covers
- Secure; must remove plate to access connectivity

IFP Faceplates, Single Gang

Ports	1-Port	2-Port	3-Port	4-Port	6-Port
Unit of Measure	1 per bag	1 per bag	1 per bag	1 per bag	1 per bag
Catalog No.	IFP11xx	IFP12xx	IFP13xx	IFP14xx	IFP16xx

IFP Faceplates, Double Gang

Ports	6-Port	9-Port	12-Port
Unit of Measure	1 per bag	1 per bag	1 per bag
Catalog No.	IFP26xx	IFP29xx	IFP212xx

NS Faceplates, Single Gang, Without Label Fields

Ports	1-Port	2-Port	3-Port	4-Port	6-Port
Unit of Measure	1 per bag	1 per bag	1 per bag	1 per bag	1 per bag
Catalog No.	NSP11xx	NSP12xx	NSP13xx	NSP14xx	NSP16xx

NS Faceplates, Single Gang, Midsize, Without Label Fields

Ports	1-Port	2-Port	3-Port	4-Port	6-Port
Unit of Measure	1 per bag	1 per bag	1 per bag	1 per bag	1 per bag
Catalog No.	NSP101xx	NSP102xx	NSP103xx	NSP104xx	NSP106xx

NS Faceplates, Double Gang, Without Label Fields

Ports	4-Port	6-Port
Unit of Measure	1 per bag	1 per bag
Catalog No.	NSP24xx	NSP26xx

Blank Wallplates

	Standard				Midsize	
Gangs	1-Gang	2-Gang	3-Gang	4-Gang	1-Gang	2-Gang
Catalog No.	NP13xx	NP23xx	NP33xx	NP43xx	NPJ13xx	NPJ23xx

Angled Faceplates, 4-Port, Single Gang

Color	Electric Ivory	Gray	Office White	White
Catalog No.	AFP14EI	AFP14G	AFP14	AFP14W


xx = Color: **AL** (Almond), **BK** (Black), **EI** (Electric Ivory), **GY** (Gray), **LA** (Light Almond), **OW** (Office White), and **W** (White).
For all NS and NP series plates, use **I** for Ivory. Light Almond is the same color as Office White. Almond is not available in single gang. See color chart on page V30.



IFP11OW IFP12OW IFP13OW



IFP26OW IFP212OW



NSP11I NSP13I NSP26I



NP13I



AFP14

Compatible with Hubbell Labeling System, see page U7.



- Designed to Flush Mount with Box Eliminator
- Adjustable Leveling Feature
- ANSI/TIA-606-B Compliant



Specifications



Keystone

- Fits all Hubbell keystone connections (AV, data and fiber)

Modular Frames

- IMSS plates available in 1-, 2-, 3- and 4-gang
- Fits all Hubbell iSTATION modules

Stainless Steel Plates, Single Gang

Ports	1-Port	2-Port	3-Port	4-Port	6-Port
Unit of Measure	1 per bag	1 per bag	1 per bag	1 per bag	1 per bag
Catalog No.	SSF11	SSF12	SSF13	SSF14	SSF16



Stainless Steel Plates, Double Gang

Ports	4-Port	6-Port	9-Port	12-Port
Unit of Measure	1 per bag	1 per bag	1 per bag	1 per bag
Catalog No.	SSF204	SSF206	SSF209	SSF212



Stainless Steel Plates with Label Fields, Single Gang

Ports	1-Port	2-Port	3-Port	4-Port	6-Port
Unit of Measure	1 per bag	1 per bag	1 per bag	1 per bag	1 per bag
Catalog No.	SSFL11	SSFL12	SSFL13	SSFL14	SSFL16



SSFL16

Stainless Steel Plates with Label Fields, Double Gang

Ports	4-Port	6-Port	9-Port	12-Port
Unit of Measure	1 per bag	1 per bag	1 per bag	1 per bag
Catalog No.	SSFL24	SSFL26	SSFL29	SSFL212



SSFL212

Hubbell iSTATION Stainless Steel Plates, Front Loading

Gangs	1-Gang	2-Gang	3-Gang	4-Gang
Unit of Measure	1 per bag	1 per bag	1 per bag	1 per bag
Catalog No.	IMSS1	IMSS2	IMSS3	IMSS4



IMSS1

IMSS2

Compatible with Hubbell Labeling System, see page U7.



- UL Listed for Power and Low-Voltage with Label Fields
- Nylon Plates Virtually Unbreakable
- ANSI/TIA-606-B Compliant



Specifications

- IFP126OW is the only decorator plate in the industry that is UL Listed for power and low-voltage with label fields
- Integrates with all Hubbell keystone connections (AV, data and fiber)
- ISF frames available in 2-, 3-, 4- and 6-port configurations

Decorator Wallplates

Standard, Nylon

Gangs	1-Gang	2-Gang	3-Gang	4-Gang	5-Gang	6-Gang
Catalog No.	NP26xx	NP262xx	NP263xx	NP264xx	NP265xx	NP266xx

xx = Color: **AL** (Almond), **BK** (Black), **GY** (Gray), **I** (Ivory), **LA** (Light Almond), **OW** (Office White), and **W** (White).
Light Almond is the same color as Office White. See color chart on page V30.

Midsized, Nylon

Catalog No.	NPJ26xx	NPJ262xx	NPJ263xx	NPJ264xx	–	–
-------------	----------------	-----------------	-----------------	-----------------	---	---

xx = Color: **AL** (Almond), **BK** (Black), **GY** (Gray), **I** (Ivory), **LA** (Light Almond).

Snap-On*

Catalog No.	RCW1xx	RCW2xx	RCW3xx	RCW4xx	RCW5xx	RCW6xx
-------------	---------------	---------------	---------------	---------------	---------------	---------------

xx = Color: **AL** (Almond), **I** (Ivory), **LA** (Light Almond), **W** (White).


Decorator and IFP Cover Plates

Decorator

Gangs	1-Gang	1-Gang	2-Gang	2-Gang
Material	Brass	Stainless Steel	Brass	Stainless Steel
Catalog No.	SB26	SS26	SB262	SS262

IFP Decorator with Label Fields

Color	Almond	Gray	Office White	White
Catalog No.	IFP126AL	IFP126GY	IFP126OW	IFP126W



NP26OW



RCW1I



SS262



IFP126OW

Decorator Outlet Frames, Unloaded

Ports	2-Port	3-Port	4-Port	6-Port	Blank
Unit Package	1 per bag	1 per bag	1 per bag	1 per bag	1 per bag
Catalog No.	ISF2xx	ISF3xx	ISF4xx	ISF6xx	NS620xx*

xx = Color: **AL** (Almond), **BK** (Black), **EI** (Electric Ivory), **GY** (Gray), **LA** (Light Almond), **OW** (Office White), and **W** (White).
Light Almond is the same color as Office White. See color chart on page V30.

*Available in Almond and White only.

Compatible with Hubbell Labeling System, see page U7.



- **UL Listed for Power and Low-Voltage with Label Fields**
- **Nylon Plates Virtually Unbreakable**
- **ANSI/TIA-606-B Compliant**



Specifications



- IFP18OW is the only decorator plate in the industry that is UL Listed for power and low-voltage with label fields
- Integrates with all Hubbell keystone connections (AV, data and fiber)
- ISF frames available in 2- and 4-port configurations

Duplex Wallplates

Standard, Nylon

Gangs	1-Gang	2-Gang	3-Gang	4-Gang
Catalog No.	NP8xx	NP82xx	NP83xx	NP84xx

Midsize, Nylon

Catalog No.	NPJ8xx	NPJ82xx	—	—
-------------	---------------	----------------	---	---

xx = Color: **AL** (Almond), **BK** (Black), **GY** (Gray), **I** (Ivory), **LA** (Light Almond), **OW** (Office White), and **W** (White). Light Almond is the same color as Office White. See color chart on page V30.



NP8I



SS82



IFP18OW

Stainless Steel Duplex and IFP Cover Plates

Duplex

Color/Finish	1-Gang	2-Gang
Brass	SB8	SB82
Stainless Steel	SS8	SS82

IFP Duplex with Label Fields

Color	Almond	Office White
Catalog No.	IFP18AL	IFP18OW

Duplex 106 Outlet Frames

Color	2-Port	4-Port
Almond	BR106AL	Q106AL
Black	BR106B	Q106B
Electric Ivory	BR106E	Q106E
Gray	BR106G	Q106G
Light Almond	BR106LA	Q106LA
Office White	BR106C	Q106O
White	BR106W	Q106W

Note: Light Almond is the same color as Office White. See color chart on page V30.



BR106B



Q106B

Compatible with Hubbell Labeling System, see page U7.

HUBBELL
Advantage

- NEMA 3R Rated (TWPF1GY)
- Multiple Labeling Options for Easy Station Identification
- Fiber and Multimedia Capabilities



Specifications



- The sliding cover provides protection and longer life
- Staggered, angled openings provide proper cable exit and bend radius
- Two methods to secure cover: screw, latch or both
- Enterprise and NEMA 3R weather-proof grade

Secure-IT™ Plates

Gangs/Ports	Tamper-Resistant Face Plates		Weatherproof Face Plates
	Face Plate 1-Gang/4-Port	Cable-Thru Plate 1-Gang	Face Plate 1-Gang/4-Port
Black	TPF1BK	TPCP1BK	—
Gray	TPF1GY	TPCP1GY	TWPF1GY
Office White	TPF1OW	TPCP1OW	—
White	TPF1W	TPCP1W	—



TPF1OW



TPCP1GY




TWPF1GY

Box Eliminator

Description	Catalog No.
Single-gang box eliminator used in place of an electrical box. Secures to a drywall opening providing a means to mount a single-gang plate.	BRBE1
Double-gang box eliminator used in place of an electrical box. Secures to a drywall opening providing a means to mount a double-gang plate.	BRBE2



BRBE1



BRBE2

630 Stainless Steel Wall Mount Phone Plates

Stainless Steel, Single-Gang Wall Mount Phone Plate

Includes	Flush Jack	Recessed Jack
USOC gray jack, RJ25, 6-position	P630S1GJ6	P630SR1GJ6
Category 5e, gray jack, RJ45, 8-position	P630S1GJ8	P630SR1GJ8
Category 6, gray jack, RJ45, 8-position	P630S1GJC6	P630SR1GJC6



P630S1GJ8



P630SR1GJ8